INDEX TO AUTHORS.

A

Adams, Georgian, and **McCollum, E. V.** A method for the biological assay of cod liver oil, 495

Alsberg, C. L. See STONE and ALSBERG, 557

Amberg, Samuel, and **Landsbury, J.** Demonstration of small amounts of calcium, p. xlvii

Andrews, James C. The deaminization of cystine in alkaline solutions, p. lxiii

Ariyama, Noboru, and **Shaffer, Philip A.** Potentiometric determination of relative reducing rates of sugars for ferricyanide and iodine, p. li

B

Baernstein, Harry D. The conductivity method and proteolysis. II. The effect of amino nitrogen on the conductivity, p. xlii

—. II. An interpretation of the conductivity changes, 481

Ball, Eric G. See WILSON and BALL, p. l

Ballard, Herman E. See GREENBERG and BALLARD, p. lxv

Barger, George, and **Coyne, F. P.** The new sulfur-containing amino acid described by J. H. Mueller, p. iii

Bass, Lawrence W. See LEVENE and BASS, 145

Beard, Howard H. See CHANUTIN and BEARD, 167

Bell, Marion. See KLEINER and BELL, p. xxv

Bennett, Helen B. See SHOHL and BENNETT, 643

—. See SHOHL, BENNETT, and WEED, 181

Benson, C. C. Hydrogen ion concentration of fish muscle, 583

Bergeim, Olaf. The quantitative estimation of digestive function, p. xliii

Berggren, R. E. L. See TALBOTT, FÖLLING, HENDERSON, DILL, EDWARDS, and BERGGREN, 445

Berglund, Hilding, Medes, Grace, and **Lohmann, Anne.** A reducing urinary tyrosine compound in cases of a muscular disease (myasthenia gravis), p. v

Biasotti, A. See MCCLELLAN, BIASOTTI, and HANNON, 719

Bliss, Sidney. Further studies on ammonia formation, p. viii

XUM

Bloomfield, Emily M. See ROSE and MCCOLLUM, 535, 549
Bloor, W. R. Quantitative relations of the lipids of normal tissues, p. iii
Bock, A. V. See DILL, BOCK, VAN CAULAERT, FÖLLING, HURXTHAL, and HENDERSON, 191
Bodansky, Meyer. The action of acids in producing hemolysis, p. xvi
Boldyreff, Ephraim B. Glycolytic enzyme of the pancreatic juice. II. Experiments under sterile conditions *in vitro*, p. lix
Bolliger, Adolph. On the influence of frequent intravenous administration of phosphate solutions on normal and nephritic dogs, p. lxxiv
Brekke, Viola. See OUTHOUSE, MACY, and BREKKE, 129
Burtis, M. P. See SHERMAN and BURTIS, 671

C

Cartland, George F., and **Koch, Fred C.** Studies on the organic precursors of hemoglobin, p. xxii
Cary, C. A. Application of the spectrophotometer to the determination of tryptophane in protein-free blood extracts, p. lxv
—. A colorimetric method for the determination of free tryptophane in blood, 377
— and **Meigs, Edward B.** The free tryptophane in cow blood and its utilization in milk secretion, 399
Cary, C. A. See HARDING and CARY, p. xlix
van Caulaert, C. See DILL, BOCK, VAN CAULAERT, FÖLLING, HURXTHAL, and HENDERSON, 191
Chandler, S. B. See TWEEDY and CHANDLER, p. lxxiii
Chanutin, Alfred, and **Beard, Howard H.** A study on the effect of feeding creatine on growth and its distribution in the liver and muscle of normal mice, 167
Clark, E. P. Studies on gossypol. IV. Apogossypol, 159
Clawson, T. Alfred, Jr. See POWER and CLAWSON, p. lvi
Cohn, David J. See HEIDELBERGER, ROSENTHAL, COHN, and FRIEDMAN, p. lxvi
—. See HEIDELBERGER, SHWARTZMAN, and COHN, p. lxxvi
Cohn, Edwin J., and **Green, Arda Alden.** Physicochemical methods of characterizing proteins. VIII. The apparent dissociation constants of proteins calculated from their solubilities and activity coefficients in concentrated salt solutions, p. xxxii
Collett, Mary E. On the question of the specificity of the intracellular dehydrogenases. I. The dehydrogenase of cunner muscle, 685
Cori, Carl F., and **Cori, Gerty T.** The influence of epinephrine and insulin on the carbohydrate balance of rats in postabsorptive stage, p. lxii

Cori, Gerty T. See CORI and CORI, p. lxii
Corley, Ralph C. Studies on the metabolism of levulose, with a new method for its determination in blood and urine, p. lx
Cox, Gerald J. The preparation of *d*-arginine monohydrochloride, 475
Coyne, F. P. See BARGER and COYNE, p. iii
Csonka, Frank A., Phillips, M., and Jones, D. Breese. Lignin as a factor in the formation of hippuric acid, p. xxiv
—. See JONES and CSONKA, 289

D

Dakin, H. D., and West, Randolph. A general reaction of amino acids, 91
— and —. II, 745
— and —. Some aromatic derivatives of substituted acetylaminoacetones, 757

Day, P. L. See SHERMAN, QUINN, DAY, and MILLER, 293
Deegan, John K. See HUBBARD and DEEGAN, p. lvii
Deuel, Harry J., Jr., and Milhorat, Adolph T. On the alleged conversion of fat to carbohydrate. I. The metabolism of acetic acid, 299
Dill, D. B., Bock, A. V., van Caulaert, C., Fölling, A., Hurxthal, L. M., and Henderson, L. J. Blood as a physicochemical system. VII. The composition and respiratory exchanges of human blood during recovery from pernicious anemia, 191
Dill, D. B. See TALBOTT, FÖLLING HENDERSON, DILL, EDWARDS, and BERGGREN, 445
Dowler, V. B. A new method for the determination of cysteine and cystine in the presence of blood and tissue, p. xxxviii
Drabkin, David L. The yellow pigment of serum and muscle, p. xii
van Dyke, H. B. See HASTINGS, and VAN DYKE, p. xxxv

E

Edwards, H. T. See TALBOTT, FÖLLING, HENDERSON, DILL, EDWARDS, and BERGGREN, 445
Elvehjem, C. A. See PETERSON and ELVEHJEM, 215
Evans, Ruth E. See ROSE and MCCOLLUM, 535, 549
Evvard, John M. See LAMB and EVVARD, p. xxviii

F

Field, Madeleine E. See LOEB, LORBERBLATT, and FIELD, 417
Fölling, A. See DILL, BOCK, VAN CAULAERT, FÖLLING, HURXTHAL, and HENDERSON, 191
—. See TALBOTT, FÖLLING, HENDERSON, DILL, EDWARDS, and BERGGREN, 445
Friedemann, Theodore E. Fasting ketosis of the primates, p. lxi
—. See KENDALL and FRIEDEMANN, p. lxi

Friedman, Joseph S. See HEIDELBERGER, ROSENTHAL, COHN, and FRIEDMAN, p. lxvi

G

Green, Arda Alden. See COHN and GREEN, p. xxxii

Greenberg, David M. The transport numbers of fibrin in solutions of dilute acids and alkalies, 265

— and **Ballard, Herman E.** A comparison of the diffusible calcium of the serum and the calcium of the spinal fluid, p. lxv

Greene, Carl H., and **Snell, Albert M.** Studies in the metabolism of the bile. II. The sequence of changes in the blood and bile following the intravenous injection of bile or its constituents, 691

Greenwald, Isidor, and **Gross, Joseph.** Does the feeding of cod liver oil prevent tetany in thyroparathyroidectomized dogs, p. lxviii

Griffith, Wendell H. Environmental and nutritional factors affecting the growth of rats on diets containing sodium benzoate, p. xxiv

Gross, Joseph. See GREENWALD and GROSS, p. lxviii

Gustus, Edwin L. See JACOBS and GUSTUS, 573

H

Hamilton, R. H., Jr. Studies on the Folin method of analysis for glucose in normal urine, 63

Hand, David B. See SUMNER and HAND, p. xxxiv

Hanke, Martin E., and **Tuta, J. A.** Studies on the oxidation-reduction potential of blood, p. xxxvi

Hannon, R. R. See MCCLELLAN, BIASOTTI, and HANNON, 719

Harding, T. Swann, and **Cary, C. A.** Failure to recover cystine by common methods of removing protein from blood, p. xlix

Harned, Ben K. The catalytic oxidase-like action of methylene blue in sugar peroxidation, p. lii

Hart, G. W. See MORRELL, VARLEY, HART, and SCHWOCH, p. lxviii

Hartman, Arthur M. See TURNER and HARTMAN, p. xxvii

Harvey, E. Newton. Studies on the oxidation of luciferin without luciferase and the mechanism of bioluminescence, 369

Hastings, A. Baird, and **van Dyke, H. B.** Studies of the bromide and chloride distribution in the blood of dogs and the production of experimental edema by sodium bromide administration, p. xxxv

—. See SENDROY and HASTINGS, p. lxvii

—. See VAN SLYKE, SENDROY, HASTINGS, and NEILL, 765

Hawes, Effie Ross. See STADIE and HAWES, p. xxix

Hawkins, James A., MacKay, Eaton M., and **Van Slyke, Donald D.** Glucose in the urine of normal and nephritic subjects, p. xxiii

Healy, D. J. See McHargue, Healy, and Hill, 637
Heidelberger, Michael, Rosenthal, Nathan, Cohn, David J., and **Friedman, Joseph S.** Behavior of the substance active in pernicious anemia on dialysis of liver extracts, p. lxvi
—, **Shwartzman, Gregory,** and **Cohn, David J.** Immunological relationships of the typhoid bacillus, p. lxxvi
Hellwig, Arthur. See Quam and Hellwig, 681
Henderson, L. J. See Dill, Bock, van Caulaert, Fölling, Hurxthal, and Henderson, 191
—. See Talbott, Fölling, Henderson, Dill, Edwards, and Berggren, 445
Hendrix, Byron M. The resorption of copper and ferrocyanide ions by coagulated proteins, 653
Hill, E. S. See McHargue, Healy, and Hill, 637
Hill, Robert M. The effect of the administration of creatine on the blood sugar, p. iv
Hiller, Alma. See Van Slyke and Hiller, 807
Hogan, Albert G., and **Hunter, Jesse E.** The action of ultra-violet rays on vitamin B, p. xvii
— and —. The plural nature of vitamin B, 433
Howard, C. H. See Russell, Massengale, and Howard, p. xxi
Hrubetz, M. Caroline. See Stimson and Hrubetz, 413
Hubbard, Roger S., and **Deegan, John K.** Experiments with the non-glucose sugar of blood and plasma, p. lvii
Hunscher, Helen A. The calcium and phosphorus balances of lactating women, p. xxvi
Hunt, Charles H. The complex nature of vitamin B as found in wheat and corn, 83
Hunter, Jesse E. See Hogan and Hunter, 433, p. xvii
Hurxthal, L. M. See Dill, Bock, van Caulaert, Fölling, Hurxthal, and Henderson, 191
Hynes, John. See McClendon, Mathieson, and Hynes, p. xlvi

J

Jackson, Richard W. Metabolism of tryptophane, p. lxvi
Jacobs, Walter A., and **Gustus, Edwin L.** The digitalis glucosides. I. Digitoxigenin and isodigitoxigenin, 573
Jensen, Hans. The isolation of arginine, histidine, and leucine from hydrolyzed crystalline insulin and the acetylation of crystalline insulin, p. xli
Johnston, Margaret Woodwell, and **Lewis, Howard B.** Comparative studies of the metabolism of amino acids. I. Changes in the non-protein nitrogenous constituents of

the blood following administration of amino acids, 67

Jones, D. Breese, and **Csonka, Frank A.** Studies on glutelins. IV. The glutelins of corn (*Zea mays*), 289

—. See CSONKA, PHILLIPS, and JONES, p. xxiv

K

Karr, Walter G., Petty, O. H., and **Schumann, C.** Respiratory quotient studies with synthalin. (A diguanidyl decamethylene.), p. xli

Kendall, A. I., and **Friedemann, Theodore E.** The use of colloidal manganese dioxide for the determination of lactic acid, p. lxi

Kendall, Edward C. The oxidizing and reducing power of cysteine and glutathione, p. xl

Kerr, Stanley E. The effect of insulin and of pancreatectomy on the distribution of phosphorus and potassium in the blood, 35

Kiech, Veon Carter, and **Luck, James Murray.** The effect of insulin on protein metabolism, 257

Kik, M. C. See SURE, KIK, and WALKER, p. xviii

Killian, John A. See MYERS and KILLIAN, 591

Kleiner, Israel S., and **Bell, Marion.** The effect of supplementary feeding of carbohydrates and of fat upon the composition of human milk, p. xxv

Knudson, Arthur, and **Moore, Chester N.** Comparison of the antirachitic potency of ergosterol irradiated by ultraviolet light and by exposure to cathode rays, p. xix

Koch, Fred C. See CARTLAND and KOCH, p. xxii

Koehler, Alfred E. The blood sulfur in diseases of the energy metabolism, p. lxx

L

Lamb, Alvin R., and **Evvard, John M.** The acid-base balance in animal nutrition. IV. The effect of mineral acid ingestion by swine through three generations, p. xxviii

Landsbury, J. See AMBERG and LANDSBURY, p. xlvii

Leavenworth, Charles S. See VICKERY and LEAVENWORTH, 627

Lehnherr, E. R. See NELSON and LEHNHERR, p. xlix

Levene, P. A., and **Bass, Lawrence W.** Studies on racemization. VII. The action of alkali on casein, 145

— and **Meyer, G. M.** The α and β forms of diacetone methylmannoside, 363

— and **Mori, T.** On Walden inversion. XII. On the oxidation of 3-thiolvaleric and of 4-thiolvaleric acids and its significance in connection with Walden inversion, 1

— and **Walti, A.** Studies in polymerization and condensation. III. On autocondensation of dihydroxyacetone, 23

Levene, P. A., and **Wolfrom, M. L.** Acetyl monoses. IV. Two isomeric triacetyl methyllyxosides, 525
Levy, Milton. The reaction of borate and some simple sugars, p. liii
Lewis, Howard B. See Johnston and Lewis, 67
Lewis, Robert C., and **Mattison, Inez H.** The rate of elimination of urea as a measure of kidney function, p. lxxvi
Loeb, Leo, Lorberblatt, I., and **Field, Madeleine E.** Further investigations concerning the specific action of salts in the extraction of urease from amebocytes of *Limulus*, 417
Lohmann, Anne. See Berglund, Medes, and Lohmann, p. v
Looney, Joseph M. The analysis of liver extract, p. xi
Lorberblatt, I. See Loeb, Lorberblatt, and Field, 417
Lucas, G. H. W. The decomposition of halogen-containing hydrocarbons in animals during anesthesia, p. lxix
Luck, James Murray. See Kiech and Luck, 257

M

MacKay, Eaton M. See Hawkins, MacKay, and Van Slyke, p. xxiii
Macy, Icie G. See Outhouse, Macy, and Brekke, 129
Maddock, Stephen J. See Trimble and Maddock, 323
Maslow, Herman L. See Shelling and Maslow, 661
Massengale, O. N. See Russell, Massengale, and Howard, p. xxi
Mathieson, Don. See McClendon, Mathieson, and Hynes, p. xlvi
Mattison, Inez H. See Lewis and Mattison, p. lxxvi
McClellan, W. S., Biasotti, A., and **Hannon, R. R.** Clinical calorimetry. XLII. A comparison of the effect of glucose and dihydroxyacetone on metabolism, 719
McClendon, J. F., Mathieson, Don, and **Hynes, John.** The determination of iodine in fat and fatty foods, p. xlvi
McCollum, E. V. See Adams and McCollum, 495
McCollum, Ella L. See Rose and McCollum, 535, 549
McHargue, J. S., Healy, D. J., and **Hill, E. S.** The relation of copper to the hemoglobin content of rat blood. Preliminary report, 637
McMeekin, T. L. The effect of neutral salts on the hydrolysis of proteins by pepsin, p. xliii
Medes, Grace. See Berglund, Medes, and Lohmann, p. v
Meigs, Edward B. See Cary and Meigs, 399
Meyer, G. M. See Levene and Meyer. 363
Milhorat, Adolph T. See Deuel and Milhorat, 299

Miller, E. H. See SHERMAN, QUINN, DAY, and MILLER, 293

Millet, Horace. Measurements of the pH of normal, fetal, and neoplastic tissues by means of the glass electrode, 281

Mitchell, Philip H. Potassium concentration in muscle cells as influenced by the Donnan equilibrium, p. x

Moore, Chester N. See KNUDSON and MOORE, p. xix

Mori, T. See LEVENE and MORI, 1

Morrell, Joseph A., Varley, J. H., Hart, G. W., and Schwoch, G. Some effects of myrtomel in the diabetic dog, p. lxviii

Morrison, Dempsie B. See MYERS and MORRISON, 615

—. See MYERS, MULL, and MORRISON, 595, p. xi

Morse, Withrow. See TITHERINGTON and MORSE, p. xvi

Mull, James W. See MYERS and MULL, 605, 625

—. See MYERS, MULL, and MORRISON, 595, p. xi

Muntwyler, Edward. See MYERS and MUNTWYLER, 225, 243

Muschel, Anna. Note on the fractionation of serum proteins by means of ammonium sulfate, 715

Myers, Victor C., and Killian, John A. The solubility in the stomach and duodenum of aluminum compounds found in baking powder residues, 591

Myers, Victor C., and Morrison, Dempsie B. The influence of the administration of aluminum upon the aluminum content of the tissues of the dog, 615

— and **Mull, James W.** The aluminum content of human autopsy tissue, 625

— and —. The influence of the administration of aluminum upon the aluminum content of the tissues, and upon the growth and reproduction of rats, 605

—, —, and **Morrison, Dempsie B.** The estimation of aluminum in animal tissues, 595

—, —, and —. On the presence of aluminum in animal tissues, p. xi

— and **Muntwyler, Edward.** The colorimetric estimation of the hydrogen ion concentration of blood, 243

— and —. The colorimetric estimation of the hydrogen ion concentration of urine, 225

N

Neill, James M. See VAN SLYKE, SENDROY, HASTINGS, and NEILL, 765

Nelson, C. Ferdinand, and Lehnherr, E. R. The determination of lactic acid in blood, p. xlix

O

Okey, Ruth. A further study of menstrual variations in blood composition in normal women, p. xiii

Outhouse, Julia, Macy, Icie G., and **Brekke, Viola.** Human milk studies. V. A quantitative comparison of the antiricketic factor in human milk and cow's milk, 129

P

Peterson, W. H., and Elvehjem, C. A. The iron content of plant and animal foods, 215

Petty, O. H. See KARR, PETTY, and SCHUMANN, p. xli

Phillips, M. See CSONKA, PHILLIPS, and JONES, p. xxiv

Power, Marschelle H., and **Clawson, T. Alfred, Jr.** Free sugar in liver and muscle tissue, p. lvi

Pucher, George W. A study on the recovery of small amounts of insulin and the use of mice for standardization purposes, p. lxiii

Q

Quam, G. N., and **Hellwig, Arthur.** The copper content of milk, 681

Quinn, E. J. See SHERMAN, QUINN, DAY, and MILLER, 293

R

Roe, Joseph H. The colorimetric estimation of blood serum calcium, p. xlviii

Ronzoni, Ethel. Comparison of the lactic acid metabolism of smooth and striated muscle, p. lv

Rose, Mary Swartz, and **McCollum, Ella L.** Studies in nutrition. I. Growth, reproduction, and lactation on diets with different proportions of cereals and vegetables, 535

— and —. II. The effect of adding egg to a diet already adequate, 549

Rosenthal, Nathan. See HEIDELBERGER, ROSENTHAL, COHN, and FRIEDMAN, p. lxvi

Rourke, M. Dorothy. On the determination of the sodium content of small amounts of serum or heparinized plasma by the iodometric method, 337

Russell, Walter C., Massengale, O. N., and **Howard, C. H.** The duration of the effect of ultra-violet radiation on chickens, p. xxi

S

Scharles, F. H. See WEST and SCHARLES, p. liv

Schlutz, Frederic W., Swanson, W. W., and **Ziegler, Mildred R.** Experimental study of plasma protein regeneration, p. vii

Schmidt, E. G. The inactivation of urease, 53

Schumann, C. See KARR, PETTY, and SCHUMANN, p. xli

Schwoch, G. See MORRELL, VARLEY, HART, and SCHWOCH, p. lxviii

Seibert, Florence B. The chemical composition of the active principle of tuberculin. XI. An improved and simpli-

fied method for making a standard undenatured tuberculin of any desired strength and a method of chemical assay, 345

Seibert, Florence B. An improved and simplified method for making a standard undenatured tuberculin of any desired strength and a chemical assay for the same, p. lxxi

Sendroy, Julius, Jr., and Hastings, A. Baird. The activity coefficients of certain acid-base indicators, p. lxvii

—. See Van Slyke and Sendroy, 801

—. See Van Slyke, Sendroy, Hastings, and Neill, 765

Shaffer, Philip A. See Ariyama and Shaffer, p. li

Shelling, David H., and Maslow, Herman L. The effect of sodium citrate, acetate, and lactate on the ultrafiltrability of serum calcium, 661

Sherman, H. C., and Burtis, M. P. Factors affecting the accuracy of the quantitative determination of vitamin A, 671

—, **Quinn, E. J., Day, P. L., and Miller, E. H.** The relative stability of vitamin A from plant sources, 293

Shohl, Alfred T., and Bennett, Helen B. A micro method for the determination of potassium as iodoplatinate, 643

—, **Bennett, Helen B., and Weed, Katharine L.** Rickets in rats. IV. The effect of varying the acid-base content of the diet, 181

Shope, Richard E. The distribution of sugar between blood corpuscles and blood plasma for several animal species, 107

—. The distribution of sugar between corpuscles and plasma in blood from normal human beings, and from diabetics with and without insulin therapy, 111

Shwartzman, Gregory. See Heidelberger, Shwartzman, and Cohn, p. lxxvi

Silvette, H. See Smith and Silvette, 409

Smith, Homer W., and Silvette, H. Note on the nitrogen excretion of camels, 409

Snell, Albert M. See Greene and Snell, 691

Somogyi, Michael. The distribution of sugar in normal human blood, 117

Sperry, Warren M. A method for studying the distribution of fecal lipids, p. xliv

Stadie, William C., and Hawes, Effie Ross. The rôle of the liquid junction potential in the electrometric determination of single ion activity coefficients, p. xxix

Stimson, Barbara B., and Hrubetz, M. Caroline. Changes in the oxygen capacity of the blood pigment of rabbits following partial hepatectomy, 413

Stone, J. B., and Alsberg, C. L. Observations on the rennin

coagulation of milk. The effect of hirudin, of heparin, of cephalin, and of fat removal, 557

Sullivan, M. X. The cystine content of phaseolin, p. xv

Sumner, James B., and **Hand, David B.** The isoelectric point of crystalline urease, p. xxxiv

Sure, Barnett, Kik, M. C., and **Walker, Dorothy J.** Vitamin requirements of nursing young. IV. (a) A quantitative biological method for the study of vitamin B requirements of nursing young. (b) Marked anhydremia associated with marked disturbance in hematopoietic function of nursing young suffering from vitamin B deficiency, p. xviii

Swanson, W. W. See SCHLUTZ, SWANSON, and ZIEGLER, p. vii

T

Talbott, J. H., Fölling, A., Henderson, L. J., Dill, D. B., Edwards, H. T., and **Berggren, R. E. L.** Studies in muscular activity. V. Changes and adaptations in running, 445

Titherington, R. J., and **Morse, Withrow.** Experiences with the phosphatase described by Robison, p. xvi

Trimble, Harry C., and **Maddock, Stephen J.** A study of the effect of insulin upon the sugar content of erythrocytes, including a comparison of the direct and indirect methods of measurement, 323

Turner, William A., and **Hartman, Arthur M.** Calcium and phosphorus metabolism in dairy cows. III. The adequate ration for high producing cows and the effect of exercise on calcium, phosphorus, and nitrogen balances, p. xxvii

Tuta, J. A. See HANKE and TUTA, p. xxxvi

Tweedy, W. R., and **Chandler, S. B.** Studies on the blood calcium of normal and parathyroidectomized albino rats, p. lxxiii

V

Van Slyke, Donald D., and **Hiller, Alma.** Gasometric determination of hemoglobin by the carbon monoxide capacity method, 807

— and **Sendroy, Julius, Jr.** Studies of gas and electrolyte equilibria in blood. XI. The solubility of hydrogen at 38° in blood serum and cells, 801

—, **Sendroy, Julius, Jr., Hastings, A. Baird,** and **Neill, James M.** Studies of gas and electrolyte equilibria in blood. X. The solubility of carbon dioxide at 38° in water, salt solution, serum, and blood cells, 765

—. See HAWKINS, MACKAY, and VAN SLYKE, p. xxiii

Varley, J. H. See MORRELL, VARLEY, HART, and SCHWOCH, p. lxviii

Vickery, Hubert Bradford, and **Leavenworth, Charles S.** On the separation of histidine and arginine. IV. The preparation of histidine, 627

W

Walker, Dorothy J. See SURE, KIK, and WALKER, p. xviii
Walti, A. See LEVENE and WALTI, 23
Waterman, Robert E. See WILLIAMS and WATERMAN, 311
Weber, C. J. The determination of the guanidine bases in urine, 465
—. Studies on guanidine compounds. The excretion of guanidine bases after subcutaneous or oral administration, p. xv
Weed, Katharine L. See SHOHL, BENNETT, and WEED, 181
West, Edward S., and **Scharles, F. H.** The metabolism of glucose cycloacetoacetic acid in the dog, p. liv
West, Randolph. See DAKIN and WEST, 91, 745, 757
Williams, Robert R., and **Waterman, Robert E.** The tripartite nature of vitamin B, 311
Wilson, D. Wright, and **Ball, Eric G.** A study of the estimation of chloride in serum, p. l
Wolfrom, M. L. See LEVENE and WOLFROM, 525

Z

Ziegler, Mildred R. See SCHLUTZ, SWANSON, and ZIEGLER, p. vii

INDEX TO SUBJECTS.

A

Acetic acid:
Metabolism (DEUEL and MILHORAT) 299

Acetone:
Acetylaminoacetone, substituted, aromatic derivatives (DAKIN and WEST) 757

Acetyl monoses:
IV (LEVENE and WOLFROM) 525

Acetylaminoacetone:
Substituted, aromatic derivatives (DAKIN and WEST) 757

Acid(s):
Hemolysis action (BODANSKY) p. xvi
Mineral, ingestion effect on swine (LAMB and EVVARD) p. xxviii

Acid-base:
Balance, animal nutrition. IV (LAMB and EVVARD) p. xxviii
Diet content, rickets, (SHOHL, BENNETT, and WEED) 181
Indicators, activity coefficient (SENDROY and HASTINGS) p. lxvii

Activity:
Coefficient, acid-base indicators (SENDROY and HASTINGS) p. lxvii
—, single ion, liquid junction potential in electrometric determination (STADIE and HAWES) p. xxix

Aluminum:
Administration, influence on aluminum content of tissues (MYERS and MORRISON) 615
—, — — — content of tissues, and on growth and reproduction (MYERS and MULL) 605
Baking powder residues, compounds in, solubility in stomach and duodenum (MYERS and KILLIAN) 591
Determination, animal tissues (MYERS, MULL, and MORRISON) 595
Growth, administration effect (MYERS and MULL) 605
Reproduction, administration effect (MYERS and MULL) 605
Tissue, animal (MYERS, MULL, and MORRISON) p. xi
—, —, determination (MYERS, MULL, and MORRISON) 595
—, autopsy (MYERS and MULL) 625

Aluminum—*continued:*
Tissue content, following administration (MYERS and MORRISON) 615
— —, — — (MYERS and MULL) 605
Amebocyte:
Limulus, urease extraction (LOEB, LORBERBLATT, and FIELD) 417
Urease extraction, *Limulus* (LOEB, LORBERBLATT, and FIELD) 417
Amino acid(s):
Blood non-protein nitrogenous constituents following administration (JOHNSTON and LEWIS) 67
General reaction (DAKIN and WEST) 91
— —. II (DAKIN and WEST) 745
Metabolism. I (JOHNSTON and LEWIS) 67
Non-protein nitrogenous constituents of blood following administration (JOHNSTON and LEWIS) 67
Sulfur-containing, of Mueller (BARGER and COYNE) p. iii
Amino nitrogen:
Conductivity, effect (BAERNSTEIN) p. xlii
Ammonia:
Formation (BLISS) p. viii
Anemia:
Pernicious, blood composition and respiratory exchange during recovery (DILL, BOCK, VAN CAULAERT, FÖLLING, HURXTHAL, and HENDERSON) 191
Anemia—*continued:*
Pernicious, dialyzed liver extracts (HEIDELBERGER, ROSENTHAL, COHN, and FRIEDMAN) p. lxvi
Anesthesia:
Hydrocarbons, halogen-containing, decomposition (LUCAS) p. lxix
Anhydremia:
Vitamin B deficiency, nursing young (SURE, KIK, and WALKER) p. xviii
Apogossypol:
(CLARK) 159
Arginine:
Histidine, separation. IV (VICKERY and LEAVENWORTH) 627
Insulin, isolation (JENSEN) p. xli
***d*-Arginine monohydrochloride:**
Preparation (COX) 475

B

Baking powder:
Aluminum compounds in residues, solubility in stomach and duodenum (MYERS and KILLIAN) 591
Bile:
Blood changes following intravenous injection (GREENE and SNELL) 691
Intravenous injection effect, changes in (GREENE and SNELL) 691
Metabolism. II (GREENE and SNELL) 691
Biological assay:
Cod liver oil (ADAMS and MCCOLLUM) 495

Biological method:
Vitamin B requirements of nursing young (SURE, KIK, and WALKER) p. xviii

Bioluminescence:
Mechanism (HARVEY) 369

Blood:
Anemia, pernicious, composition and respiratory exchange during recovery (DILL, BOCK, VAN CAULAERT, FÖLLING, HURXTHAL, and HENDERSON) 191
Bile intravenous injection, effect (GREENE and SNELL) 691
Bromide distribution (HASTINGS and VAN DYKE) p. xxxv
Calcium, normal and parathyroidectomized rats (TWEEDY and CHANDLER) p. lxxiii
Chloride distribution (HASTINGS and VAN DYKE) p. xxxv
Composition, pernicious anemia, during recovery (DILL, BOCK, VAN CAULAERT, FÖLLING, HURXTHAL, and HENDERSON) 191
Cystine recovery (HARDING and CARY) p. xlix
Gas and electrolyte equilibria. X (VAN SLYKE, SENDROY, HASTINGS, and NEILL) 765
— — — —. XI (VAN SLYKE and SENDROY) 801
Hemoglobin, copper relation to (MCHARGUE, HEALY, and HILL) 637

Blood—*continued:*
Hydrogen ion concentration, colorimetric determination (MYERS and MUNTWYLER) 243
Insulin effect on phosphorus and potassium distribution (KERR) 35
Lactic acid determination (NELSON and LEHNHERR) p. xlix
Levulose determination (CORLEY) p. lx
Menstrual variations, normal women (OKEY) p. xiii
Non-protein nitrogenous constituents following amino acid administration (JOHNSTON and LEWIS) 67
Oxidation-reduction potential (HANKE and TUTA) p. xxxvi
Pancreatectomy effect on phosphorus and potassium distribution (KERR) 35
Phosphorus distribution, insulin effect (KERR) 35
— —, pancreatectomy effect (KERR) 35
Physicochemical system. VII (DILL, BOCK, VAN CAULAERT, FÖLLING, HURXTHAL, and HENDERSON) 191
Pigment, oxygen capacity, partial hepatectomy (STIMSON and HRUBETZ) 413
Potassium distribution, insulin effect (KERR) 35
— —, pancreatectomy effect (KERR) 35

Blood—*continued:*
Respiratory exchange, pernicious anemia, during recovery (DILL, BOCK, VAN CAULAERT, FÖLLING, HURXTHAL, and HENDERSON) 191
Sugar, creatine effect (HILL) p. iv
— distribution, normal human (SOMOGYI) 117
—, non-glucose (HUBBARD and DEEGAN) p. lvii
Sulfur, metabolic diseases (KOEHLER) p. lxx
Tryptophane, free, colorimetric determination (CARY) 377
—, —, cow (CARY and MEIGS) 399
—, —, utilization in milk secretion (CARY and MEIGS) 399

Blood cell:
Carbon dioxide solubility in (VAN SLYKE, SENDROY, HASTINGS, and NEILL) 765
Hydrogen solubility in (VAN SLYKE and SENDROY) 801
Sugar distribution between plasma and (SHOPE) 107
— — — — and, in normal and diabetic humans (SHOPE) 111
See also Erythrocyte.

Blood corpuscle:
See Blood cell.

Blood plasma:
Protein regeneration (SCHLUTZ, SWANSON, and ZIEGLER) p. vii

Blood plasma—*continued:*
Sodium, iodometric method (ROURKE) 337
Sugar distribution between corpuscles and (SHOPE) 107
— — — — and, in normal and diabetic humans (SHOPE) 111
—, non-glucose (HUBBARD and DEEGAN) p. lvii

Blood serum:
Calcium, colorimetric determination (ROE) p. xlviii
Calcium, diffusible (GREENBERG and BALLARD) p. lxv
—, ultrafiltrability, sodium citrate, acetate, and lactate effect (SHELLING and MASLOW) 661
Carbon dioxide solubility in (VAN SLYKE, SENDROY, HASTINGS, and NEILL) 765
Chloride determination (WILSON and BALL) p. l
Hydrogen solubility in (VAN SLYKE and SENDROY) 801
Pigment, yellow (DRABKIN) p. xii
Protein, fractionation (MUSCHEL) 715
Sodium, iodometric method (ROURKE) 337

Borate:
Sugar reaction with (LEVY) p. liii

Bromide:
Blood distribution (HASTINGS and VAN DYKE) p. xxxv

C

Calcium:
Balance, exercise effect, cows (Turner and Hartman) p. xxvii
—, lactating women (Hunscher) p. xxvi
Blood, normal rat (Tweedy and Chandler) p. lxxiii
—, parathyroidectomized rat (Tweedy and Chandler) p. lxxiii
Blood serum, colorimetric determination (Roe) p. xlviii
Cerebrospinal fluid (Greenberg and Ballard) p. lxv
Colorimetric determination, blood serum (Roe) p. xlviii
Diffusible, blood serum (Greenberg and Ballard) p. lxv
Metabolism, cows. III (Turner and Hartman) p. xxvii
Micro detection (Amberg and Landsbury) p. xlvii
Ultrafiltrability, serum, sodium citrate, acetate, and lactate effect (Shelling and Maslow) 661

Calorimetry:
Clinical. XLII (McClellan, Biasotti, and Hannon) 719

Camel:
Nitrogen excretion (Smith and Silvette) 409

Carbohydrate:
Balance, epinephrine and insulin effect (Cori and Cori) p. lxii
Fat conversion to. I (Deuel and Milhorat) 299
Milk, human, composition, supplementary feeding effect (Kleiner and Bell) p. xxv

Carbon dioxide:
Solubility, blood cells (Van Slyke, Sendroy, Hastings, and Neill) 765
Solubility, blood serum (Van Slyke, Sendroy, Hastings, and Neill) 765
—, salt solution (Van Slyke, Sendroy, Hastings, and Neill) 765
—, water (Van Slyke, Sendroy, Hastings, and Neill) 765

Casein:
Alkali action (Levene and Bass) 145

Cathode:
Ray, ergosterol, irradiated, antirachitic potency (Knudson and Moore) p. xix

Cephalin:
Rennin coagulation, milk (Stone and Alsberg) 557

Cereal:
Growth, effect (Rose and McCollum) 535
Lactation, effect (Rose and McCollum) 535
Reproduction, effect (Rose and McCollum) 535

Cerebrospinal fluid:
Calcium (Greenberg and Ballard) p. lxv
Chloride:
Blood distribution (Hastings and van Dyke) p. xxxv
— serum, determination (Wilson and Ball) p. l
Determination, blood serum (Wilson and Ball) p. l
Cod liver oil:
Biological assay (Adams and McCollum) 495
Tetany, thyroparathyroidectomy (Greenwald and Gross) p. lxviii
Colorimetric method:
Calcium, blood serum (Roe) p. xlviii
Hydrogen ion concentration, blood (Myers and Muntwyler) 243
— — —, urine (Myers and Muntwyler) 225
Tryptophane, free, blood (Cary) 377
Condensation:
Polymerization and. III (Levene and Walti) 23
Conductivity:
Amino nitrogen effect (Baernstein) p. xlii
Changes, interpretation (Baernstein) 481
Proteolysis and. II (Baernstein) 481, p. xlii
Copper:
Hemoglobin, relation (McHargue, Healy, and Hill) 637
Ions, resorption by coagulated proteins (Hendrix) 653
Milk, content (Quam and Hellwig) 681
Corn:
Glutelins (Jones and Csonka) 289
Vitamin B, complex nature (Hunt) 83
Creatine:
Blood sugar, effect (Hill) p. iv
Growth effect (Chanutin and Beard) 167
Liver distribution (Chanutin and Beard) 167
Muscle distribution (Chanutin and Beard) 167
Cunner:
Muscle, dehydrogenases (Collett) 685
Cysteine:
Determination (Dowler) p. xxxviii
Oxidizing power (Kendall) p. xl
Reducing power (Kendall) p. xl
Cystine:
Deaminization (Andrews) p. lxiii
Determination (Dowler) p. xxxviii
— (Harding and Cary) p. xlix
Phaseolin (Sullivan) p. xv

D

Dehydrogenase:
Intracellular, specificity. I (COLLETT) 685
Muscle, cunner (COLLETT) 685

Diabetes:
Blood sugar distribution in (SHOPE) 111
Insulin effect on blood sugar distribution (SHOPE) 111
Myrtomel (MORRELL, VARLEY, HART, and SCHWOCH) p. lxviii

Diacetone methylmannoside:
α and β forms (LEVENE and MEYER) 363

Diet:
Acid-base content, rickets (SHOHL, BENNETT, and WEED) 181
Cereal, growth, reproduction, and lactation (ROSE and MCCOLLUM) 535
Milk production, cows (TURNER and HARTMAN) p. xxvii
Sodium benzoate-containing, growth effect (GRIFFITH) p. xxiv
Vegetable, growth, reproduction, and lactation (ROSE and MCCOLLUM) 535

Digestion:
Function, quantitative determination (BERGEIM) p. xliii

Digitalis:
Glucosides. I (JACOBS and GUSTUS) 573

Digitoxigenin:
(JACOBS and GUSTUS) 573
Isodigitoxigenin (JACOBS and GUSTUS) 573

Dihydroxyacetone:
Autocondensation (LEVENE and WALTI) 23
Glucose, comparison of effect on metabolism (MCCLELLAN, BIASOTTI, and HANNON) 719
Metabolism, glucose, comparison (MCCLELLAN, BIASOTTI, and HANNON) 719

Dissociation:
Constant, apparent, proteins (COHN and GREEN) p. xxxii

Donnan equilibrium:
Potassium concentration in muscle cells, influenced by (MITCHELL) p. x

Duodenum:
Aluminum compounds in baking powder residues, solubility (MYERS and KILLIAN) 591

E

Edema:
Sodium bromide production (HASTINGS and VAN DYKE) p. xxxv

Egg:
Nutritional effect (ROSE and MCCOLLUM) 549

Electrode:
Glass, hydrogen ion determination of tissues (MILLET) 281

Electrolyte:
Equilibrium, gas and, in blood. X (VAN SLYKE, SENDROY, HASTINGS, and NEILL) 765
Equilibrium, gas and, in blood. XI (VAN SLYKE and SENDROY) 801

XUM

Electrometric:
Ion, single, activity coefficient, determination (Stadie and Hawes) p. xxix
Enzyme:
Glycolytic, pancreatic juice. II (Boldyreff) p. lix
Epinephrine:
Carbohydrate balance (Cori and Cori) p. lxii
Equilibrium:
Donnan. *See* Donnan equilibrium.
Electrolyte and gas, in blood. X (Van Slyke, Sendroy, Hastings, and Neill) 765
— — —, — blood. XI (Van Slyke and Sendroy) 801
Gas and electrolyte, in blood. X (Van Slyke, Sendroy, Hastings, and Neill) 765
— — —, — blood. XI (Van Slyke and Sendroy) 801
Ergosterol:
Cathode ray exposure (Knudson and Moore) p. xix
Ultra-violet light irradiation (Knudson and Moore) p. xix
Erythrocyte:
Sugar, insulin effect (Trimble and Maddock) 323
Excretion:
Nitrogen, camel (Smith and Silvette) 409
Urea, rate, kidney function measure (Lewis and Mattison) p. lxxvi
Exercise:
Calcium balance, cows (Turner and Hartman) p. xxvii
Nitrogen balance, cows (Turner and Hartman) p. xxvii
Phosphorus balance, cows (Turner and Hartman) p. xxvii
Running, metabolism (Talbott, Fölling, Henderson, Dill, Edwards, and Berggren) 445

F

Fasting:
Ketosis (Friedemann) p. lxi
Fat:
Carbohydrate, conversion to. I (Deuel and (Milhorat) 299
Iodine determination in (McClendon, Mathieson, and Hynes) p. xlvi
Milk, human, composition, supplementary feeding effect (Kleiner and Bell) p. xxv
Rennin coagulation, milk, removal (Stone and Alsberg) 557
Feces:
Lipid distribution (Sperry) p. xliv
Ferrocyanide:
Ions, resorption by coagulated proteins (Hendrix) 653
Fetus:
Tissue, hydrogen ion determinations, glass electrode (Millet) 281

Fibrin:
Transport numbers (GREENBERG) 265
Fish:
Muscle, hydrogen ion concentration (BENSON) 583
Folin:
Glucose in normal urine, method (HAMILTON) 63
Food:
Fatty, iodine determination in (MCCLENDON, MATHIESON, and HYNES) p. xlvi
Iron, plant and animal (PETERSON and ELVEHJEM) 215

G

Gas:
Equilibrium, electrolyte and, in blood. X (VAN SLYKE, SENDROY, HASTINGS, and NEILL) 765
—, — —, — blood. XI (VAN SLYKE and SENDROY) 801
Gasometric determination:
Hemoglobin (VAN SLYKE and HILLER) 807
Glucose:
Dihydroxyacetone, comparison of effect on metabolism (MCCLELLAN, BIASOTTI, and HANNON) 719
Folin method, normal urine (HAMILTON) 63
Metabolism, dihydroxyacetone, comparison (MCCLELLAN, BIASOTTI, and HANNON) 719
Glucose—*continued:*
Non-glucose sugar of blood and plasma (HUBBARD and DEEGAN) p. lvii
Urine, nephritis (HAWKINS, MACKAY, and VAN SLYKE) p. xxiii
—, normal (HAWKINS, MACKAY, and VAN SLYKE) p. xxiii
—, —, Folin method (HAMILTON) 63
Glucose cycloacetoacetic acid:
Metabolism (WEST and SCHARLES) p. liv
Glucoside:
Digitalis. I (JACOBS and GUSTUS) 573
Glutathione:
Oxidizing power (KENDALL) p. xl
Reducing power (KENDALL) p. xl
Glutelin:
IV (JONES and CSONKA) 289
Corn (*Zea mays*) (JONES and CSONKA) 289
Glycolysis:
Enzyme, pancreatic juice. II (BOLDYREFF) p. lix
Gossypol:
IV (CLARK) 159
Growth:
Aluminum administration, effect (MYERS and MULL) 605
Cereal diet, effect (ROSE and MCCOLLUM) 535
Creatine effect (CHANUTIN and BEARD) 167
Diets containing sodium benzoate (GRIFFITH) p. xxiv

Growth—*continued:*
Vegetable diet, effect (ROSE and MCCOLLUM) 535
Guanidine:
Bases, determination, urine (WEBER) 465
—, excretion (WEBER) p. xv
—, urine, determination (WEBER) 465

H

Halogen:
-containing hydrocarbons, decomposition during anesthesia (LUCAS) p. lxix
Hematopoiesis:
Vitamin B deficiency, nursing young (SURE, KIK, and WALKER) p. xviii
Hemoglobin:
Copper relation (MCHARGUE, HEALY, and HILL) 637
Gasometric determination (VAN SLYKE and HILLER) 807
Organic precursors (CARTLAND and KOCH) p. xxii
Hemolysis:
Acid-producing action (BODANSKY) p. xvi
Heparin:
Rennin coagulation, milk (STONE and ALSBERG) 557
Hepatectomy:
Blood pigment, oxygen capacity (STIMSON and HRUBETZ) 413
Oxygen capacity, blood pigment (STIMSON and HRUBETZ) 413
Hippuric acid:
Formation, lignin factor (CSONKA, PHILLIPS, and JONES) p. xxiv
Hirudin:
Rennin coagulation, milk (STONE and ALSBERG) 557
Histidine:
Arginine, separation. IV (VICKERY and LEAVENWORTH) 627
Insulin, isolation (JENSEN) p. xli
Preparation (VICKERY and LEAVENWORTH) 627
Hydrocarbon:
Halogen-containing, decomposition during anesthesia (LUCAS) p. lxix
Hydrogen:
Solubility, blood cells (VAN SLYKE and SENDROY) 801
—, — serum (VAN SLYKE and SENDROY) 801
Hydrogen ion:
Concentration, colorimetric determination, blood (MYERS and MUNTWYLER) 243
—, — —, urine (MYERS and MUNTWYLER) 225
—, fish muscle (BENSON) 583
—, glass electrode measurements, tissues (MILLET) 281

I

Immunology:
Typhoid bacillus (HEIDELBERGER, SHWARTZMAN, and COHN) p. lxxvi

Insulin:
Assay (PUCHER) p. lxiii
Blood, phosphorus distribution, effect (KERR) 35
—, potassium distribution, effect (KERR) 35
— sugar distribution in diabetes, effect (SHOPE) 111
Carbohydrate balance (CORI and CORI) p. lxii
Crystalline, acetylation (JENSEN) p. xli
—, hydrolyzed, arginine isolation (JENSEN) p. xli
—, —, histidine isolation (JENSEN) p. xli
—, —, leucine isolation (JENSEN) p. xli
Diabetes, blood sugar distribution, effect (SHOPE) 111
Phosphorus distribution, blood, effect (KERR) 35
Potassium distribution, blood, effect (KERR) 35
Protein metabolism, effect (KIECH and LUCK) 257
Recovery (PUCHER) p. lxiii
Sugar, erythrocytes, effect (TRIMBLE and MADDOCK) 323

Iodine:
Determination in fat and fatty foods (MCCLENDON, MATHIESON, and HYNES) p. xlvi
Fat, determination (MCCLENDON, MATHIESON, and HYNES) p. xlvi

Iodine—*continued:*
Fatty foods, determination (MCCLENDON, MATHIESON, and HYNES) p. xlvi

Ion(s):
Activity coefficient, single, electrometric determination (STADIE and HAWES) p. xxix
Copper, resorption by coagulated proteins (HENDRIX) 653
Ferrocyanide, resorption by coagulated proteins (HENDRIX) 653

Iron:
Food, animal (PETERSON and ELVEHJEM) 215
—, plant (PETERSON and ELVEHJEM) 215

Isodigitoxigenin:
(JACOBS and GUSTUS) 573

Isoelectric:
Point, crystalline urease (SUMNER and HAND) p. xxxiv

K

Ketosis:
Fasting (FRIEDEMANN) p. lxi

Kidney:
Urea elimination rate, measure of function (LEWIS and MATTISON) p. lxxvi

L

Lactation:
Calcium balance, women (HUNSCHER) p. xxvi
Cereal diet, effect (ROSE and MCCOLLUM) 535

Lactation—*continued:*
Phosphorus balance, women (HUNSCHER) p. xxvi
Vegetable diet, effect (ROSE and MCCOLLUM) 535
Lactic acid:
Blood, determination (NELSON and LEHNHERR) p. xlix
Determination (KENDALL and FRIEDEMANN) p. lxi
—, blood (NELSON and LEHNHERR) p. xlix
Metabolism, muscle (RONZONI) p. lv
Muscle, metabolism (RONZONI) p. lv
Leucine:
Insulin, isolation (JENSEN) p. xli
Levulose:
Blood, determination (CORLEY) p. lx
Determination, blood and urine (CORLEY) p. lx
Metabolism (CORLEY) p. lx
Urine, determination (CORLEY) p. lx
Light:
Ultra-violet, ergosterol, irradiated, antirachitic potency (KNUDSON and MOORE) p. xix
Lignin:
Hippuric acid formation (CSONKA, PHILLIPS, and JONES) p. xxiv
Limulus:
Amebocyte, urease extraction (LOEB, LORBERBLATT, and FIELD) 417
Limulus—*continued:*
Urease extraction, amebocyte (LOEB, LORBERBLATT, and FIELD) 417
Lipid:
Fecal, distribution (SPERRY) p. xliv
Tissues, normal, quantitative relationships (BLOOR) p. iii
Liquid junction:
Potential, single ion activity coefficient, electrometric determination, rôle (STADIE and HAWES) p. xxix
Liver:
Anemia, pernicious, dialyzed extracts (HEIDELBERGER, ROSENTHAL, COHN, and FRIEDMAN) p. lxvi
Creatine distribution (CHANUTIN and BEARD) 167
Extract (LOONEY) p. xi
Sugar, free (POWER and CLAWSON) p. lvi
Luciferase:
Luciferin oxidation (HARVEY) 369
Luciferin:
Oxidation without luciferase (HARVEY) 369
Lyxoside:
Methyl-, triacetyl, isomers (LEVENE and WOLFROM) 525

M

Mannoside:
Diacetone methyl-, α and β forms (LEVENE and MEYER) 363

Menstruation:
Blood composition, normal women (OKEY) p. xiii
Metabolism:
Acetic acid (DEUEL and MILHORAT) 299
Amino acids. I (JOHNSTON and LEWIS) 67
Bile. II (GREENE and SNELL) 691
Calcium, cows. III (TURNER and HARTMAN) p. xxvii
Dihydroxyacetone, glucose, comparison of effect (MCCLELLAN, BIASOTTI, and HANNON) 719
Energy, diseases, blood sulfur (KOEHLER) p. lxx
Glucose cycloacetoacetic acid (WEST and SCHARLES) p. liv
—, dihydroxyacetone, comparison of effect (MCCLELLAN, BIASOTTI, and HANNON) 719
Lactic acid, muscle (RONZONI) p. lv
Levulose (CORLEY) p. lx
Phosphorus, cows. III (TURNER and HARTMAN) p. xxvii
Protein, insulin effect (KIECH and LUCK) 257
Tryptophane (JACKSON) p. lxvi
Methylene blue:
Sugar peroxidation (HARNED) p. lii
Methyllyxoside:
Triacetyl, isomers (LEVENE and WOLFROM) 525
Milk:
Antirachitic factor, human and cow's (OUTHOUSE, MACY, and BREKKE) 129
Coagulation, rennin (STONE and ALSBERG) 557
Copper content (QUAM and HELLWIG) 681
Human. V (OUTHOUSE, MACY, and BREKKE) 129
—, composition, supplementary feeding effect (KLEINER and BELL) p. xxv
Rennin coagulation (STONE and ALSBERG) 557
Secretion, tryptophane, free, utilization (CARY and MEIGS) 399
Mineral:
Acid, ingestion, effect on swine (LAMB and EVVARD) p. xxviii
Monoses:
Acetyl. IV (LEVENE and WOLFROM) 525
Mueller:
Amino acid (BARGER and COYNE) p. iii
Muscle:
Activity. V (TALBOTT, FÖLLING, HENDERSON, DILL, EDWARDS, and BERGGREN) 445
Creatine distribution (CHANUTIN and BEARD) 167
Cunner, dehydrogenase (COLLETT) 685
Dehydrogenase, cunner (COLLETT) 685
Fish, hydrogen ion concentration (BENSON) 583

Muscle—*continued:*
Hydrogen ion concentration, fish (BENSON) 583
Lactic acid metabolism (RONZONI) p. lv
Pigment, yellow (DRABKIN) p. xii
Potassium concentration, Donnan equilibrium effect (MITCHELL) p. x
Smooth, lactic acid metabolism (RONZONI) p. lv
Striated, lactic acid metabolism (RONZONI) p. lv
Sugar, free (POWER and CLAWSON) p. lvi
Myasthenia gravis:
Tyrosine compound, reducing urinary (BERGLUND, MEDES, and LOHMANN) p. v
Myrtomel:
Diabetes (MORRELL, VARLEY, HART, and SCHWOCH) p. lxviii

N

Neoplasm:
Tissue, hydrogen ion determinations, glass electrode (MILLET) 281
Nephritis:
Glucose, urine (HAWKINS, MACKAY, and VAN SLYKE) p. xxiii
Phosphate solutions, intravenous injection, effect (BOLLIGER) p. lxxiv
Nitrogen:
Balance, exercise effect, cows (TURNER and HARTMAN) p. xxvii
Nitrogen—*continued:*
Excretion, camel (SMITH and SILVETTE) 409
Non-protein constituents of blood, amino acid administration effect (JOHNSTON and LEWIS) 67
Nutrition:
I (ROSE and MCCOLLUM) 535
II (ROSE and MCCOLLUM) 549
Acid-base balance. IV (LAMB and EVVARD) p. xxviii

O

Oil:
Cod liver. *See* Cod liver oil.
Optical rotation:
See Walden inversion.
Oxidation-reduction:
Potential, blood (HANKE and TUTA) p. xxxvi
Oxygen:
Capacity, blood pigment, partial hepatectomy (STIMSON and HRUBETZ) 413

P

Pancreas:
Enzyme, glycolytic, pancreatic juice. II (BOLDYREFF) p. lix
Pancreatectomy:
Blood, phosphorus distribution, effect (KERR) 35
—, potassium distribution, effect (KERR) 35

Pancreatectomy—*continued:*
Phosphorus distribution, blood, effect (KERR) 35
Potassium distribution, blood, effect (KERR) 35
Parathyroidectomy:
Blood calcium following (TWEEDY and CHANDLER) p. lxxiii
Pepsin:
Protein hydrolysis by, neutral salts effect (McMEEKIN) p. xliii
Phaseolin:
Cystine (SULLIVAN) p. xv
Phosphatase:
Robison (TITHERINGTON and MORSE) p. xvi
Phosphate:
Intravenous injection, effect (BOLLIGER) p. lxxiv
Phosphorus:
Balance, exercise effect, cows (TURNER and HARTMAN) p. xxvii
—, lactating women (HUNSCHER) p. xxvi
Blood, distribution, insulin effect (KERR) 35
—, —, pancreatectomy effect (KERR) 35
Metabolism, cows. III (TURNER and HARTMAN) p. xxvii
Pigment:
Blood, oxygen capacity after partial hepatectomy (STIMSON and HRUBETZ) 413
Yellow, muscle (DRABKIN) p. xii
Pigment—*continued:*
Yellow, serum (DRABKIN) p. xii
Plasma:
See Blood plasma.
Polymerization:
Condensation and. III (LEVENE and WALTI) 23
Potassium:
Blood, distribution, insulin effect (KERR) 35
Blood, distribution, pancreatectomy effect (KERR) 35
Micro method (SHOHL and BENNETT) 643
Muscle cell, Donnan equilibrium effect (MITCHELL) p. x
Potential:
Liquid junction, single ion activity coefficient, electrometric determination, rôle (STADIE and HAWES) p. xxix
Oxidation-reduction, blood (HANKE and TUTA) p. xxxvi
Potentiometer:
Sugar-reducing rate (ARIYAMA and SHAFFER) p. li
Protein(s):
Copper ion resorption, coagulated (HENDRIX) 653
Dissociation constant, apparent (COHN and GREEN) p. xxxii
Ferrocyanide ion resorption, coagulated (HENDRIX) 653
Fractionation, serum (MUSCHEL) 715

XUM

Protein(s)—*continued:*
Metabolism, insulin effect (KIECH and LUCK) 257
Pepsin hydrolysis, neutral salts effect (MCMEEKIN) p. xliii
Physicochemical methods characterizing. VIII (COHN and GREEN) p. xxxii
Plasma, regeneration (SCHLUTZ, SWANSON, and ZIEGLER) p. vii
Regeneration, plasma (SCHLUTZ, SWANSON, and ZIEGLER) p. vii
Serum, fractionation (MUSCHEL) 715
Proteolysis:
Conductivity and. II (BAERNSTEIN) 481, p. xlii

R

Racemization:
VII (LEVENE and BASS) 145
Radiation:
Ultra-violet, duration, effect on chickens (RUSSELL, MASSENGALE, and HOWARD) p. xxi
Ray:
Cathode, ergosterol, irradiated, antirachitic potency (KNUDSON and MOORE) p. xix
Ultra-violet, vitamin B (HOGAN and HUNTER) p. xvii
Rennin:
Coagulation, milk (STONE and ALSBERG) 557
—, —, cephalin effect (STONE and ALSBERG) 557
Rennin—*continued:*
Coagulation, milk, fat removal effect (STONE and ALSBERG) 557
—, —, heparin effect (STONE and ALSBERG) 557
—, —, hirudin effect (STONE and ALSBERG) 557
Reproduction:
Aluminum administration, effect (MYERS and MULL) 605
Cereal diet, effect (ROSE and MCCOLLUM) 535
Vegetable diet, effect (ROSE and MCCOLLUM) 535
Respiratory exchange:
Blood, pernicious anemia, during recovery (DILL, BOCK, VAN CAULAERT, FÖLLING, HURXTHAL, and HENDERSON) 191
Respiratory quotient:
Synthalin, studies (KARR, PETTY, and SCHUMANN) p. xli
Rickets:
IV (SHOHL, BENNETT, and WEED) 181
Acid-base content, varying, of diet, effect (SHOHL, BENNETT, and WEED) 181
Ergosterol, ultra-violet light and cathode ray effect (KNUDSON and MOORE) p. xix
Milk, human and cow's, antirachitic factor (OUTHOUSE, MACY, and BREKKE) 129

Robison:
Phosphatase (TITHERINGTON and MORSE) xvi
Running:
Metabolism (TALBOTT, FÖLLING, HENDERSON, DILL, EDWARDS, and BERGGREN) 445

S

Salt(s):
Carbon dioxide solubility, solution (VAN SLYKE, SENDROY, HASTINGS, and NEILL) 765
Neutral, protein hydrolysis by pepsin, effect (McMEEKIN) p. xliii
Urease extraction from amebocytes of *Limulus*, specific action (LOEB, LORBERBLATT, and FIELD) 417
Sodium:
Determination, iodometric method, serum and plasma (ROURKE) 337
Iodometric method, serum and plasma (ROURKE) 337
Plasma, heparinized, iodometric method (ROURKE) 337
Serum, iodometric method (ROURKE) 337
Sodium acetate:
Calcium, serum, ultrafiltrability, effect (SHELLING and MASLOW) 661
Sodium benzoate:
Diet containing, growth (GRIFFITH) p. xxiv
Sodium bromide:
Edema production (HASTINGS and VAN DYKE) p. xxxv
Sodium citrate:
Calcium, serum, ultrafiltrability, effect (SHELLING and MASLOW) 661
Sodium lactate:
Calcium, serum, ultrafiltrability, effect (SHELLING and MASLOW) 661
Spinal fluid:
See Cerebrospinal fluid.
Stomach:
Aluminum compounds in baking powder residues, solubility (MYERS and KILLIAN) 591
Sugar:
Blood, creatine effect (HILL) p. iv
— distribution (SHOPE) 107
—, —, normal and diabetic humans (SHOPE) 111
—, —, — human (SOMOGYI) 117
Borate reaction with (LEVY) p. liii
Erythrocytes, insulin effect (TRIMBLE and MADDOCK) 323
Free, liver and muscle tissue (POWER and CLAWSON) p. lvi
Insulin effect, erythrocytes (TRIMBLE and MADDOCK) 323
Non-glucose, blood and plasma (HUBBARD and DEEGAN) p. lvii

Sugar—*continued:*
Peroxidation, methylene blue, action (HARNED) p. lii
Reducing rate, potentiometric determination (ARIYAMA and SHAFFER) p. li
Sulfur:
Blood, metabolic diseases (KOEHLER) p. lxx
-containing amino acid of Mueller (BARGER and COYNE) p. iii
Synthalin:
Respiratory quotient studies (KARR, PETTY, and SCHUMANN) p. xli

T

Tetany:
Thyroparathyroidectomy, cod liver oil (GREENWALD and GROSS) p. lxviii
3-Thiolvaleric acid:
Oxidation, Walden inversion, relation (LEVENE and MORI) 1
4-Thiolvaleric acid:
Oxidation, Walden inversion, relation (LEVENE and MORI) 1
Thyroparathyroidectomy:
Tetany, cod liver oil (GREENWALD and GROSS) p. lxviii
Tissue:
Aluminum in animal (MYERS, MULL, and MORRISON) 595
— — autopsy (MYERS and MULL) 625
— —, following aluminum administration (MYERS and MORRISON) 615
Tissue—*continued:*
Aluminum in, following aluminum administration (MYERS and MULL) 605
Animal, aluminum (MYERS, MULL, and MORRISON) 595, p. xi
Fetal, hydrogen ion determinations, glass electrode (MILLET) 281
Hydrogen ion determinations, glass electrode (MILLET) 281
Neoplastic, hydrogen ion determinations, glass electrode (MILLET) 281
Transport numbers:
Fibrin (GREENBERG) 265
Triacetyl methyllyxoside:
Isomers (LEVENE and WOLFROM) 525
Tryptophane:
Blood, cow, free (CARY and MEIGS) 399
—, free, colorimetric determination (CARY) 377
Colorimetric determination, free, blood (CARY) 377
Determination, spectrophotometric, in protein-free blood extracts (CARY) p. lxv
Free, colorimetric determination, blood (CARY) 377
—, cow blood (CARY and MEIGS) 399
—, milk secretion (CARY and MEIGS) 399
Metabolism (JACKSON) p. lxvi

Tryptophane—*continued:*
Spectrophotometric determination in protein-free blood extracts (CARY) p. lxv

Tuberculin:
Active principle, chemical composition. XI (SEIBERT) 345
Determination, chemical (SEIBERT) 345, p. lxxi
Manufacture (SEIBERT) 345, p. lxxi

Typhoid:
Bacillus, immunology (HEIDELBERGER, SHWARTZMAN, and COHN) p. lxxvi

Tyrosine:
Reducing urinary compound, in myasthenia gravis (BERGLUND, MEDES, and LOHMANN) p. v

U

Ultrafiltration:
Calcium, serum (SHELLING and MASLOW) 661

Ultra-violet:
Light, ergosterol, irradiated, antirachitic potency (KNUDSON and MOORE) p. xix
Radiation, duration effect on chickens (RUSSELL, MASSENGALE, and HOWARD) p. xxi
Rays, vitamin B (HOGAN and HUNTER) p. xvii

Urea:
Elimination rate, kidney function measure (LEWIS and MATTISON) p. lxxvi

Urease:
Amebocyte, *Limulus*, extraction (LOEB, LORBERBLATT, and FIELD) 417
Crystalline, isoelectric point (SUMNER and HAND) p. xxxiv
Extraction from amebocytes of *Limulus* (LOEB, LORBERBLATT, and FIELD) 417
Inactivation (SCHMIDT) 53

Urine:
Glucose, nephritis (HAWKINS, MACKAY, and VAN SLYKE) p. xxiii
—, normal (HAWKINS, MACKAY, and VAN SLYKE) p. xxiii
—, —, Folin method (HAMILTON) 63
Guanidine bases, determination (WEBER) 465
Hydrogen ion concentration, colorimetric determination (MYERS and MUNTWYLER) 225
Levulose determination (CORLEY) p. lx
Tyrosine, reducing compound, in myasthenia gravis (BERGLUND, MEDES, and LOHMANN) p. v

V

Vegetable:
Growth, effect (ROSE and MCCOLLUM) 535
Lactation, effect (ROSE and MCCOLLUM) 535
Reproduction, effect (ROSE and MCCOLLUM) 535

Vitamin(s):
A, quantitative determination (SHERMAN and BURTIS) 671
—, stability, plant (SHERMAN, QUINN, DAY, and MILLER) 293
B, biological method, nursing young requirements (SURE, KIK, and WALKER) p. xviii
—, corn, complex nature (HUNT) 83
— deficiency, anhydremia and hematopoiesis, nursing young (SURE, KIK, and WALKER) p. xviii
—, nature, complex, wheat and corn (HUNT) 83
—, —, plural (HOGAN and HUNTER) 433
—, —, tripartite (WILLIAMS and WATERMAN) 311
Vitamin(s)—*continued:*
B, ultra-violet rays (HOGAN and HUNTER) p. xvii
—, wheat, complex nature (HUNT) 83
Nursing young, requirements. IV (SURE, KIK, and WALKER) p. xviii

W

Walden inversion:
XII (LEVENE and MORI) 1
Water:
Carbon dioxide solubility in (VAN SLYKE, SENDROY, HASTINGS, and NEILL) 765
Wheat:
Vitamin B, complex nature (HUNT) 83

Z

Zea mays:
Glutelins (JONES and CSONKA) 289